

motralec

4 rue Lavoisier . ZA Lavoisier . 95223 HERBLAY CEDEX

Tel. : 01.39.97.65.10 / Fax. : 01.39.97.68.48

Demande de prix / e-mail : service-commercial@motralec.com

www.motralec.com



Vertical Multistage Electric Pumps
Electropompes Multicellulaires Verticales
Elettropompe Multistadio Verticali

caprari
pumping power













CVX

energy

Ultra-high efficiency and reliability, versatile and suitable for many applications: these are the characteristics of the new CVX ENERGY SERIES vertical multistage electric pumps in AISI 304 full stainless steel.

Très haute efficacité, très haute fiabilité, polyvalentes et adaptées aux nombreuses applications: voici les caractéristiques des nouvelles électropompes multicellulaires verticales SÉRIE CVX ENERGY en "full inox AISI 304".

Altissima efficienza, altissima affidabilità, versatili e adatte a numerose applicazioni: sono le caratteristiche delle nuove elettropompe multistadio verticali SERIE CVX ENERGY in "full inox AISI 304".


-  Motor with IE2 efficiency class as part of the standard equipment
Classe d'efficacité moteur IE2 de série
Motore in classe di efficienza IE2 di serie
-  Available in the configuration with CapDRIVE inverter on board
Disponibile pour la configuration avec variateur CapDRIVE embarqué
Disponibile configurazione con inverter on board CapDRIVE
-  Cartridge type mechanical seal (SiC/SiC) as standard equipment. Easily available on the market
Garniture mécanique à cartouche (SiC/SiC) de série. Facilité à le trouver sur le marché
Tenuta meccanica a cartuccia (SiC/SiC) di serie. Assicura facile reperibilità sul mercato
-  Double outlet on the pump head
Double sortie en tête de la pompe
Doppia uscita sulla testata pompa
-  Top level efficiency ratings
Rendements au top niveau du secteur
Rendimenti al vertice del settore
-  Machines conform to Directive 2009/125/EC (Eco Design - ErP)
Machines conformes à la Directive 2009/125/CE (Eco Design - ErP)
Macchine conformi alla Direttiva 2009/125/CE (EcoDesign - ErP)
-  Stainless steel for all parts in contact with the liquid
Toutes les pièces en contact avec le liquide en acier inoxydable
Tutte le parti a contatto col liquido in acciaio inox
-  Available in the cast iron and AISI 316 full stainless steel versions
Disponibles pour la version fonte et "full inox AISI 316"
Disponibili in versione ghisa e full inox AISI 316
-  Easy to install: floating flange for connection to the pipes
Simplicité de mise en place : brides flottantes pour le raccordement aux tuyauteries
Facilità di installazione: flange flottanti per il collegamento alle tubazioni
-  High-resistance lower bearing
Palier inférieur à haute résistance
Cuscinetto inferiore ad alta resistenza




Certification for use with drinking water: DM174, WRAS, ACS, KTW-W270
 Certification pour l'emploi en eau potable : DM174, WRAS, ACS, KTW-W270
 Certificazione per l'impiego in acqua potabile: DM174, WRAS, ACS, KTW-W270



caprari

pumping power





caprari

pumping power



motralec

4 rue Lavoisier . ZA Lavoisier . 95223 HERBLAY CEDEX
 Tel. : 01.39.97.65.10 / Fax. : 01.39.97.68.48
 Demande de prix / e-mail : service-commercial@motralec.com
www.motralec.com